

- Abheiden, H., Teut, M., & Berghöfer, A. (2020). Predictors of the use and approval of CAM: results from the German General Social Survey (ALLBUS). *BMC Complementary Medicine and Therapies*, 20(1), 183. <https://doi.org/10.1186/S12906-020-02966-9>
- Asmelashe Gelayee, D., Binega Mekonnen, G., Asrade Atnafe, S., Birarra, M. K., & Asrie, A. B. (2017). Herbal Medicines: Personal Use, Knowledge, Attitude, Dispensing Practice, and the Barriers among Community Pharmacists in Gondar, Northwest Ethiopia. *Evidence-Based Complementary and Alternative Medicine : ECAM*, 2017. <https://doi.org/10.1155/2017/6480142>
- Fjær, E. L., Landet, E. R., McNamara, C. L., & Eikemo, T. A. (2020). The use of complementary and alternative medicine (CAM) in Europe. *BMC Complementary Medicine and Therapies*, 20(1). <https://doi.org/10.1186/S12906-020-02903-W>
- Di Lorenzo, C., Ceschi, A., Kupferschmidt, H., Lüde, S., De Souza Nascimento, E., Dos Santos, A., Colombo, F., Frigerio, G., Nørby, K., Plumb, J., Finglas, P., & Restani, P. (2015). Adverse effects of plant food supplements and botanical preparations: A systematic review with critical evaluation of causality. *British Journal of Clinical Pharmacology*, 79(4), 578–592. <https://doi.org/10.1111/BCP.12519>
- Gebresillassie, B. M., Belachew, S. A., Tefera, Y. G., Abebe, T. B., Mekuria, A. B., Haile, K. T., & Erku, D. A. (2018). Evaluating patients', physicians' and pharmacy professionals' perception and concern regarding generic medicines in Gondar town, northwest Ethiopia: A multi-stakeholder, cross-sectional survey. *PloS One*, 13(11). <https://doi.org/10.1371/JOURNAL.PONE.0204146>
- Hijazi, M. A., Shatila, H., El-Lakany, A., Aboul Ela, M., Kharroubi, S., Alameddine, M., & Naja, F. (2019). Beliefs, practices and knowledge of community pharmacists regarding complementary and alternative medicine: national cross-sectional study in Lebanon. *BMJ Open*, 9(3). <https://doi.org/10.1136/BMJOPEN-2018-025074>
- Hijazi, M. A., Shatila, H., Omeich, Z., El-Lakany, A., Ela, M. A., & Naja, F. (2021). The role of pharmacists in complementary and alternative medicine in Lebanon: users' perspectives. *BMC Complementary Medicine and Therapies*, 21(1). <https://doi.org/10.1186/S12906-021-03256-8>
- Pugi, A., Gallo, E., Vannacci, A., Lapi, F., & Firenzuoli, F. (2011). Herbal remedies in hospital setting: An Italian explorative survey among physicians and patients on knowledge and use. *Internal and Emergency Medicine*, 6(6), 575–576. <https://doi.org/10.1007/S11739-011-0639-Y>
- Sasaki, T., Kato, Y., Sato, A., Usui, N., Baba, E., Takano, T., Susumu, N., Ohnishi, K., Nishimoto, H., & Kiura, K. (2018). A questionnaire survey of pharmacists regarding the clinical practice guidelines for the appropriate use of granulocyte-colony stimulating factors. *Journal of Pharmaceutical Health Care and Sciences*, 4(1). <https://doi.org/10.1186/S40780-018-0098-Y>
- Shraim, N. Y., Shawahna, R., Sorady, M. A., Aiesh, B. M., Alashqar, G. S., Jitan, R. I., Abu Hanieh, W. M., Hotari, Y. B., Sweileh, W. M., & Zyoud, S. H. (2017). Community pharmacists' knowledge, practices and beliefs about complementary and alternative medicine in Palestine: a cross-sectional study. *BMC Complementary and Alternative Medicine*, 17(1). <https://doi.org/10.1186/S12906-017-1940-8>
- Rapporto Censis 2019: il valore sociale dell'integratore alimentare - Federsalus*. (n.d.). Retrieved March 6, 2022, from <https://www.federsalus.it/rapporto-censis-2019-il-valore-sociale-dellintegratore-alimentare/>

- PlantLIBRA » Publications*. (n.d.). Retrieved March 6, 2022, from <https://www.eurofir.org/plantlibra/sample-page/publications/>
- Fitosorveglianza - Istituto superiore di sanità*. (n.d.). Retrieved March 6, 2022, from <https://www.epicentro.iss.it/fitosorveglianza/>
- Medicine complementari, discipline bio-naturali e del benessere nella popolazione toscana - Indagine 2009*. (n.d.). Retrieved March 6, 2022, from <https://www.ars.toscana.it/collana-documenti-ars/pubblicazioni-2011/193-medicine-complementari,-discipline-bio-naturali-e-del-benessere-nella-popolazione-toscana-indagine-2009.html#>
- Condizioni di salute e ricorso ai servizi sanitari: informazioni sulla rilevazione*. (n.d.). Retrieved March 6, 2022, from <https://www.istat.it/it/archivio/7740>
- Alotiby, A., & Alshareef, M. (2021). Comparison Between Healthcare Professionals and the General Population on Parameters Related to Natural Remedies Used During the COVID-19 Pandemic. *Journal of Multidisciplinary Healthcare*, 14, 3523–3532. <https://doi.org/10.2147/JMDH.S343140>
- Alshahrani, A. (2020). Knowledge, attitudes, and practice of community pharmacists towards providing counseling on vitamins, and nutritional supplements in Saudi Arabia. *AIMS Public Health*, 7(3), 697–712. <https://doi.org/10.3934/PUBLICHEALTH.2020054>
- Capasso, F. (2006). *Fitofarmacovigilanza : vigilanza sulla sicurezza dei prodotti fitoterapici*. 205.
- El Khoury, G., Ramadan, W., & Zeeni, N. (2016). Herbal Products and Dietary Supplements: A Cross-Sectional Survey of Use, Attitudes, and Knowledge Among the Lebanese Population. *Journal of Community Health*, 41(3), 566–573. <https://doi.org/10.1007/S10900-015-0131-0>
- Firenzuoli, F. (2002). *Fitoterapia : guida all'uso clinico delle piante medicinali*. https://books.google.com/books/about/Fitoterapia_Guida_all_uso_clinico_delle.html?hl=it&id=Ix4NAQAACAAJ
- Gallo, E., Lucenteforte, E., Firenzuoli, F., Menniti-Ippolito, F., Maggini, V., Pugi, A., Mascherini, V., Gori, L., Mugelli, A., & Vannacci, A. (2014). Herbalists' perception of risks involving commonly sold medicinal plants in Italy. *Complementary Therapies in Medicine*, 22(1), 81–86. <https://doi.org/10.1016/J.CTIM.2013.12.002>
- Mollart, L., Stulz, V., & Foureur, M. (2019). Midwives' personal views and beliefs about complementary and alternative medicine (CAM): A national survey. *Complementary Therapies in Clinical Practice*, 34, 235–239. <https://doi.org/10.1016/J.CTCP.2018.12.008>
- Samojlik, I., Mijatović, V., Gavarić, N., Krstin, S., & Božin, B. (2013). Consumers' attitude towards the use and safety of herbal medicines and herbal dietary supplements in Serbia. *International Journal of Clinical Pharmacy*, 35(5), 835–840. <https://doi.org/10.1007/S11096-013-9819-3>
- Skalli, S., & Soulaymani Bencheikh, R. (2015). Pharmacovigilance of herbal medicines in Africa: Questionnaire study. *Journal of Ethnopharmacology*, 171, 99–108. <https://doi.org/10.1016/J.JEP.2015.05.033>
- Stampini, V., Bortoluzzi, S., Allara, E., Amadori, R., Surico, D., Prodam, F., Barone-Adesi, F., & Faggiano, F. (2019). The use of Complementary and Alternative Medicine (CAM) among Italian children: A cross-sectional survey. *Complementary Therapies in Medicine*, 47. <https://doi.org/10.1016/J.CTIM.2019.08.018>

Tahir, M., Upadhyay, D., Iqbal, M., Rajan, S., Iqbal, M., & Albassam, A. (2020). Knowledge of the Use of Herbal Medicines among Community Pharmacists and Reporting Their Adverse Drug Reactions. *Journal of Pharmacy & Bioallied Sciences*, 12(4), 436.
https://doi.org/10.4103/JPBS.JPBS_263_20